

**DEFENCE**  
SERIES

[www.asekonarms.com](http://www.asekonarms.com)



**S3**  
MODELS  
HYBRID

We are aware of how difficult the job of law enforcement officers is and how confident they must be in the product they are using.

Aselkon's new pump model **S3** fully meets your needs and provides you with full security while you are on duty.

H Y B R I D



## S3 HYBRID SYSTEM

S3 is a pump action: S3 is one of the best possible choice for any operational or defense requirement. This is thanks to its flexible use (lethal and less than lethal ammos), easy handling, precision and high firing volume.

The interchangeable stocks-fixed drop, variable drop and pistol grip-only increase the versatility of this weapon.



# HYBRID SYSTEM

## INERTIA TECHNOLOGY



Our proprietary refinements to the ultra-reliable Bruno Ciolani "floating bolt" action ensure the Inter Arms is able to quickly cycle even the lightest of 12 gauge loads.

The Aselkon Arms's rotating bolt utilizes our unstoppable Inertia Technology Locking System to ensure positive bolt head lock-up to the breach under all conditions.

# HYBRID SYSTEM





### COMFORT RECOIL

The recoil pad is designed for comfort and fast shouldering with high tech microcell material. It's not only a shotgun, it's an experience.

### GHOST RING SIGHT OPTIC FIBRE

The S3 Hybrid is equipped as standard with a Ghost Ring Sight that is adjustable in windage and elevation and protected by side lugs in heat-treated steel. (Optic fibre dots, 1 red in front and 2 green in rear).

### PICATINNY RAIL

Possible to fit all types of targeting device (from optical sights to red dot sights, light intensifiers etc.). The new forearm with multi rail system allows the mount of mini-rails (5-slots) all over at 3/6/9/12 o'clock.

### 1500 BAR

Each Inter barrel is subjected to a proof test with 1500 BAR high pressure test cartridge before leaving our factory.

### OPTIC FIBRE

### EASY LOAD

The receiver is fitted with a generously sized charging handle and bolt release as well as a beveled loading port with an outward angled cartridge drop lever insuring the inter is easy to operate even with gloved hands.



### BALANCED

The Inter Arms comes standard with our precision drilled Interbored barrel. The barrel is designed to shoot comfortably and pattern superbly with both light and heavy loads.

### EXTRA RAIL

The new forearm with multi rail system allows the mount of mini-rails (5-slots) all over at 3/6/9/12 o'clock.

### INTER PLUS CHOKE

We engineered the interchangeable InterPro Chokes to maximize the constancy of shot placement through reduced friction that enhances load speeds.




S3-GT-EXTRA BLACK




S3-G-EXTRA BLACK



Gauge




Chamber



Mechanic



Choke



Barrel length




Rib Size



Stock length



Handrail



Stock



Frame



Epalet



Magazine Capacity



Safety



Trigger



Trigger Guard



Weight



Sight

S3-Extra Black	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repellent system	Special polyurethane	3.55± kg	Tactical sight style
S3-G-Extra Black	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style



S3 EXTRA BLACK



S3-GT NATO GREEN




S3-G TITANIUM




S3-GT SANDSTORM



Gauge




Chamber



Mechanic



Choke



Barrel length



Rib Size




Stock length



Handrail



Stock



Frame



Epalet



Magazine Capacity



Safety



Trigger



Trigger Guard



Weight



Sight

S3-GT-Extra Black	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repellent system	Special polyurethane	3.55± kg	Tactical sight style
S3-G-Titanium	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S3-GT Nato Green	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S3-GT Sandstorm	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style



# S4

**MODELS**  
HYBRID

We are aware of how difficult the job of law enforcement officers is and how confident they must be in the product they are using.

Aselkon's new model **S4 HYBRID** fully meets your needs and provides you with full security while you are on duty.

H Y B R I D

# HYBRID SYSTEM



## SELF CLEANING DOUBLE PISTON

The pistons are required to move only 1/2" for complete cycling which results in a faster operation with minimum vibration and quick target acquisition.



Gas powered automatic system. It consists of a self-regulating gas system with a short-stroke piston. It is placed at the bottom of the chamber, near the chamber, to use the hottest gases at a higher pressure.

Gases exiting the barrel expand (in the self-adjusting gas system) and rapidly accelerate the stroke of the piston, which simultaneously strikes the bolt follower pin and pushes it hard enough to cause it to retract. The gas inlet valve is self-regulating as it acts as a regulating valve that expels excess gas during ignition.


The larger the volume of gas flowing through the barrel, the faster the pin valve opens and lets it out, thereby reducing the pressure inside. Self-adjusting, it guarantees shooting accuracy, reliability, durability and certifies Aselkon's technological excellence.

# HYBRID SYSTEM



# S4

## INERTIA TECHNOLOGY



Our proprietary refinements to the ultra-reliable Bruno Ciolani "floating bolt" action ensure the Inter Arms is able to quickly cycle even the lightest of 12 gauge loads.

The Inter Arms's rotating bolt utilizes our unstoppable Inertia Technology Locking System to ensure positive bolt head lock-up to the breach under all conditions.



# HYBRID SYSTEM



### COMFORT RECOIL

The recoil pad is designed for comfort and fast shouldering with high tech microcell material. It's not only a shotgun, it's an experience.

### GHOST RING SIGHT OPTIC FIBRE

The S4 Hybrid is equipped as standard with a Ghost Ring Sight that is adjustable in windage and elevation and protected by side lugs in heat-treated steel. (Optic fibre dots, 1 red in front and 2 green in rear).


### PICATINNY RAIL

Possible to fit all types of targeting device (from optical sights to red dot sights, light intensifiers etc.). The new forearm with multi rail system allows the mount of mini-rails (5-slots) all over at 3/6/9/12 o'clock.

### 1500 BAR

Each Inter barrel is subjected to a proof test with 1500 BAR high pressure test cartridge before leaving our factory.

### OPTIC FIBRE




### EASY LOAD

The receiver is fitted with a generously sized charging handle and bolt release as well as a beveled loading port with an outward angled cartridge drop lever insuring the inter is easy to operate even with gloved hands.

### INTER BALANCED

The Inter Arms comes standard with our precision drilled Interbored barrel. The barrel is designed to shoot comfortably and pattern superbly with both light and heavy loads.



### INTER PLUS CHOKE

We engineered the interchangeable InterPro Chokes to maximize the constancy of shot placement through reduced friction that enhances load speeds.




S4-GT-EXTRA BLACK




S4-G-EXTRA BLACK



Gauge




Chamber



Mechanic



Choke



Barrel length



Rib Size



Stock length



Handrail



Stock



Frame



Epalet



Magazine Capacity



Safety



Trigger



Trigger Guard



Weight



Sight

S4-G-Extra Black	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S4-GT-Extra Black	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style



S4 EXTRA BLACK



S4-G NATO GREEN




S4-G TITANIUM




S4-G SANDSTORM



Gauge



Chamber



Mechanic



Choke



Barrel length



Rib Size



Stock length



Handrail



Stock



Frame



Epalet



Magazine Capacity



Safety



Trigger



Trigger Guard



Weight



Sight

	Gauge	Chamber	Mechanic	Choke	Barrel length	Rib Size	Stock length	Handrail	Stock	Frame	Epalet	Magazine Capacity	Safety	Trigger	Trigger Guard	Weight	Sight
S4 Extra Black	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S4-G Titanium	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S4-G Titanium	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S4-G Nato Green	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S4-G Sandstorm	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic	Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style



S3 GT TELESCOPIC LOOKING  
FIXED STOCK  
\*FOR USA



S3 GT ADJUSTABLE  
TELESCOPIC STOCK  
\*FOR CANADA



S3 G PISTOL GRIP STOCK  
\*FOR CANADA AND USA



S3 STANDARD STOCK



INT MSK 01

INT MSK 02

INT MSK 03

INT MSK 04

INT MSK 05



INT ANT 01



INT FYS 02



INT PLS 02

INT PLS 03

INT PLS 04

INT PLS 05



INT SAC 04



www.aselkonarms.com



Büyükkayacak O.S.B. 516 Nolu Sk. No:19-19/1 KONYA / TÜRKİYE

Telephone : +90 332 342 26 12 / +90 332 342 40 04 / Mobile: +90 532 136 08 96 / Mobile Export : +90 553 782 32 62 / E-Mail : info@aselkon.com.tr / exportteam@aselkon.com.tr